

## Cleanroom Wiper

With years of experience on the development and manufacture of cleanroom wiper, working together with our supplier from the choice of fiber to the fabric manufacture, cutting, laundry, we enforce stringent quality control through the product process to manufacture product according to high standard of quality requirement. Our fabrics are knitted from 100% polyester or PET/PA microdenier continuous fiber. Our wiper is of high absorbency, of high abrasion resistance, soft., Our wiper can be cold cut or cut and sealed by laser or ultrasonic or heat. Our wiper is laundered and dried, packed in ISO4 clean room with professional cleanroom washer and drier. The water for laundry is ultra-pure water with resistance of 18MΩ. Our wiper is double bags packed and lot to lot traceable. Our wiper is of ultra low particles, ionic contaminants and extractable. Our wiper can be used in the critical environments like wafer processing, TFT-LCD, etc.

### Application of cleanroom wiper

- Semiconductor production line, chips, microprocessor etc.
- Semiconductor assembling line
- Disk driver, composite materials
- LCD display products
- SMT production line
- Precision instruments
- Optical products
- Aviation industry
- PCB products
- Medical facilities
- Laboratory
- Cleanroom and production line, equipment

Cleanroom Polyester Wiper



XY-881009      XY-881709  
 XY-881309      XY-881809  
 XY-881008S    XY-881909  
 XY-881609

Micro Denier Cleanroom Wipes



XY-883009A

Submicro Denier Cleanroom Wiper



XY-882009  
 XY-882109

Micro Denier Cleanroom Wiper



XY-883009      XY-884209  
 XY-883109  
 XY-884009  
 XY-884109

ZH Series Cleanroom Wiper



ZH-913091  
 ZH-913090  
 ZH-916091  
 ZH-916090

Micro Denier Roll Wiper



Pre-sat Wiper



Antistatic Tacky Cloth



XY-880067

Tube Wiper



XY-880090



Cleanroom Polyester Wiper

| Cleanroom Polyester wiper | Materials discription  | Basis weight (gram /m2) | Thickness (mm) | Cleanliness class | Suitable application                        | Good for wiping                                       | Uique Characteristi cs   | Size  | Packag e   |
|---------------------------|--|-------------------------|----------------|-------------------|---|---|--|-------|------------|
| XY-881009                 | Knitting from DTY polyester yarns, Net texture                             | 205                     | 0.53           | ISO5-7            | LCD / Optoelectronics                       | Wiping glass or smooth surface                        | Superior for wiping glass  | 9"x9" | 150pcs/bag |
| XY-881309                 | Knitting from DTY polyester yarns, plain texture                           | 135                     | 0.5            | ISO5              | LCD / Optoelectronics / Semiconductor       | Wiping tools, work surface, product surface           | Good for multiple applications)  | 9"x9" | 150pcs/bag |
| XY-881008S                | Knitting from DTY polyester yarns, Net texture                             | 125                     | 0.42           | ISO4-5            | PCB / Optoelectronics / Semiconductor / SMT | Wiping tools, screen mesh, PCB board, machine surface | Abrasion resistance  | 9"x9" | 150pcs/bag |
| XY-881609                 | Knitting from DTY polyester yarns, plain texture                           | 115                     | 0.43           | ISO5              | PCB / Optoelectronics / Semiconductor / SMT | Wiping tools, screen mesh, product surface            | Good for multiple applications   | 9"x9" | 150pcs/bag |
| XY-881709                 | Knitting from DTY polyester yarns, Net texture                             | 155                     | 0.6            | ISO4-5            | PCB / Optoelectronics / Semiconductor / SMT | Wiping tools, product surface                         | Abrasion resistance, good absorbancy   | 9"x9" | 150pcs/bag |
| XY-881809                 | Knitting from DTY polyester yarns, plain texture, like microdenier fabrics | 185                     | 0.5            | ISO4-5            | LCD / Optoelectronics / Semiconductor       | Wiping tools, product surface                         | Similar to microdenier wiper, abrasion resistant, good capacity to capture solvent. Both side can be used. | 9"x9" | 150pcs/bag |
| XY-881909                 | Knitting from DTY polyester yarns, net texture, like microdenier fabrics   | 180                     | 0.6            | ISO4-5            | LCD / Optoelectronics / Semiconductor       | Wiping tools, product surface)                        | Abrasion resistant, good capacity to capture solvent. Both side can be used.                               | 9"x9" | 150pcs/bag |



Item No : XY-883009A

Product Name : Micro Denier Cleanroom Wipes

Description :

Woven microdenier tabby

High Durability, works well with IPA

Acetone and other solvents cleaning and burnishing magnetic media surface

Cleaning LCD, glass

Roll wiper is available for automatic wiping



### Submicro Denier Cleanroom Wiper

| Submicro Cleanroom wiper | Materials discription   | Basis weight (gram/m2) | Thickness (mm) | Cleanline ss class | Suitable application     | Good for wiping | Uique Characteristi cs | Size  | Package    |
|--------------------------|---|------------------------|----------------|--------------------|--------------------------|-----------------|------------------------|-------|------------|
| XY-882009                | Knitting from semi-microdenier polyester yarns, plain texture | 100                    | 0.3            | ISO5-7             | LCD/FPD                  | Wiping glass    | Soft                   | 9"×9" | 100pcs/bag |
| XY-882109                | Knitting from semi-microdenier polyester yarns, plain texture | 95                     | 0.28           | ISO5-7             | LCD/FPD/Optoele ctronics | Wiping glass    | Smooth                 | 9"×9" | 100pcs/bag |



Micro Denier Cleanroom Wiper

| Micro Denier Cleanroom wiper | Materials discription  | Basis weight (gram/m <sup>2</sup> ) | Thickne ss (mm) | Cleanliness class | Suitable application                               | Good for wiping   | Uique Characteristics  | Size  | Package    |
|------------------------------|--|-------------------------------------|-----------------|-------------------|--|---|--|-------|------------|
| XY-883009                    | Woven from polyester / Polyamide composite microdenier yarns                 | 95                                  | 0.17            | ISO5-7            | LCD / FPD / PCB / Optoelectronics / Semiconductors | Wiping tools, machine and metal surface, may be made into roll wiper        | Abrasion resistance and powerful polishing capacity  | 9"×9" | 100pcs/bag |
| XY-883109                    | Woven from polyester / Polyamide composite microdenier yarns, uneven surface | 95                                  | 0.18            | ISO5-7            | LCD / FPD / PCB / Optoelectronics / Semiconductors | Wiping tools, machine and metal surface                                     | Abrasion resistance and powerful polishing capacity  | 9"×9" | 100pcs/bag |
| XY-884009                    | Knitting from polyester / Polyamide composite microdenier yarns              | 210                                 | 0.4             | ISO5-7            | LCD / FPD / Optoelectronics                        | Wiping glass, tools, machine and metal surface                              | Good for multiple applications   | 9"×9" | 100pcs/bag |
| XY-884109                    | Knitting from polyester / Polyamide composite microdenier yarns, soft        | 150                                 | 0.35            | ISO5-7            | PCB / Optoelectronics / Semiconductor / SMT        | Wiping glass, polymer surface and metal surface                             | Soft, leave no scratch on sensitive surface, more powerful to capture and adsorb contamination | 9"×9" | 100pcs/bag |
| XY-884209                    | Knitting from polyester / Polyamide composite microdenier yarns              | 220                                 | 0.42            | ISO5-7            | PCB / Optoelectronics / Semiconductor / SMT        | Wiping glass, tools, machine and metal surface, may be made into roll wiper | Abrasion resistance  | 9"×9" | 100pcs/bag |



### ZH Series Cleanroom Wiper

| ZH Series Cleanroom wiper | Materials discription                            | Basis weight (gram/m2) | Thickness (mm) | Cleanliness class                                      | Suitable application                        | Good for wiping                                | Uique Characteristics                       | Size  | Packag e   |
|---------------------------|--|------------------------|----------------|--|---|--|---|-------|------------|
| ZH913091                  | Knitting from DTY polyester yarns, plain texture | 135                    | 0.5            | Suitable for ISO6 cleanroom to general controlled room | LCD / Optoelectronics / Semiconductor       | Wiping tools, work surface and product surface | Multiple applications                       | 9"×9" | 150pcs/bag |
| ZH913090                  | Knitting from DTY polyester yarns, plain texture | 135                    | 0.5            | Suitable for ISO6 cleanroom to general controlled room | LCD / Optoelectronics / Semiconductor       | Wiping tools, work surface and product surface | Multiple applications / Cold cut / Economic | 9"×9" | 150pcs/bag |
| ZH916091                  | Knitting from DTY polyester yarns, plain texture | 115                    | 0.43           | Suitable for ISO6 cleanroom to general controlled room | PCB / Optoelectronics / Semiconductor / SMT | Wiping tools, screen mesh, product surface     | Multiple applications                       | 9"×9" | 150pcs/bag |
| ZH916090                  | Knitting from DTY polyester yarns, plain texture | 115                    | 0.43           | Suitable for ISO6 cleanroom to general controlled room | PCB / Optoelectronics / Semiconductor / SMT | Wiping tools, screen mesh, product surface     | Multiple applications / Cold cut / Economic | 9"×9" | 150pcs/bag |





Product Name : Micro Denier Roll Wiper

Description :

Our materials for roll wiper include woven and knitted microdenier fabrics.

Sealed edge and cleaning prevent lint effectively.

rolled up and packed in class 100 cleanroom.

Good absorbency of solvent and oil, excellent capacity to remove contaminant and dust.

Good automatically cleaning for TFT-LCD, FPD, PCB and SMT industry.

Size can be set according to customer needs.





Product Name : Pre-sat Wiper

Description :


Various kinds of nonwoven wiper with 30% DIW / 70% high purity IPA solvent, 91% DIW / 9% high purity IPA solvent or other cleaning solvent

Eliminates solvent purchasing, storage, management and solvent adding process, no risk because of the solvent liquid such as spray and spill, save solvent, convenient to use

size: 9"x9", 6"x6", 6"x8" or other customer specified dimension

Package: in cleanroom, put in solvent-proof cleanroom bag and sealing tightly and then packed in a outer bag

Special application set to prevent solvent evaporation, convenient to you



Antistatic Tacky Cloth

| Antistatic Tacky Cloth | Materials discription       | Basis weight (gram/m2) | Thicknes s (mm) | Cleanliness class                                      | Suitable application                           | Good for wiping                   | Uique Characteristi cs                 |
|------------------------|-----------------------------|------------------------|-----------------|--|--|-----------------------------------|--|
| XY-880067              | Cotton net coated with glue | -                      | -               | Suitable for ISO6 cleanroom to general controlled room | Automotive / PCB / LCD / Optoelectronics / SMT | Cleaning particles on the surface | Sticky, adhere particles automatically |



Tube Wiper

| Tube wiper | Materials<br>discription  | Basis weight<br>(gram/m2) | Thickness<br>(mm) | Cleanliness<br>class  | Suitable application                           | Good for wiping                      | Uique Characteristi cs   |
|------------|---|---------------------------|-------------------|---|--|--------------------------------------|--|
| XY-880090  | Knitting from DTY<br>polyester<br>yarns,plain<br>texture, tubal | 135                       | 0.5               | Suitable for<br>ISO6 cleanroom<br>to general<br>controlled room | Automotive / PCB /<br>LCD /<br>Optoelectronics | Wiping inner<br>and outer<br>surface | Tube end curling inside<br>automatically, no edge<br>outside, convenient and<br>economical |